



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/202,984	03/19/1999	ARMIN PETER CZERNILOFSKY	0652.1830000	3631

7590

10/17/2002

STERNE KESSLER GOLDSTEIN & FOX
1100 NEW YORK AVENUE NW
SUITE 600
WASHINGTON, DC 200053934

EXAMINER

CHAKRABARTI, ARUN K

ART UNIT	PAPER NUMBER
----------	--------------

1634

DATE MAILED: 10/17/2002

21

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.
09/202,984

Applicant(s)
Czernilofsky

Examiner
Arun Chakrabarti

Art Unit
1634



-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136 (e). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on Aug 21, 2002.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11; 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 28-60 is/are pending in the application.
- 4a) Of the above, claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 28-60 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claims _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
*See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).
a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgement is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s). _____ 6) ☐ Other: _____

Art Unit: 1634

DETAILED ACTION

Continued Examination Under 37 CAR 1.114

1. A request for continued examination under 37 CAR 1.114, including the fee set forth in 37 CAR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CAR 1.114, and the fee set forth in 37 CAR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CAR 1.114. Applicant's submission filed on August 21, 2002 has been entered.

Specification

2. Claims 28-31 and 45 have been amended.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any

Art Unit: 1634

evidence to the contrary. Applicant is advised of the obligation under 37 CAR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103© and potential 35 U.S.C. 102(f) or (g) prior art under 35 U.S.C. 103(a).

4. Claims 28-44, 46, 49-51, 53, 55-56, and 58-60 are rejected under 35 U.S.C. 103 (a) over Foulkes et al. (PCT international Publication number WO 92/13063) (August 6, 1992) in view of Fodor et al. (U.S. Patent 6,309,822 B1) (October 30, 2001).

Foulkes et al teach a process for determining the pharmacological effect of a substance on the activity of various biological target molecules, wherein a substance is applied to test cells which contain one or more biological target molecules and the effect of the substance on the activity of the target molecules is determined, characterized in that test cells are derived or not derived from one type of tissues and one species (Claims 67-72 and 104 and Page 56, line 5 to page 61, line 20) and

a) a defined amount of a test substance is applied to test cells which differ in that they contain one or more different biological target molecules (Claims 67-72 and Claims 92-102 and page 56, Addition of chemicals to cells Subsection); and

l) the effect of the substance on the or each biological target molecule is measured using a detection system coupled to the activation of the target molecule (Claims 94-103 and Page 57, line 5 to page 58, line 8); and/or

Art Unit: 1634

ii) the effect of the substance on different regulatory mechanisms triggered by the activation of the target molecule is determined by measuring the effects using a plurality of detection systems each coupled to the different regulatory mechanisms, and the effects of the test substance on the different test cells or the effects determined using different detection methods are directly compared with one another (Figure 20 and Page 58, line 13 to page 59, line 12).

Foulkes et al teach a process characterized in that a plurality of substances, optionally in several dilutions, are applied in parallel to one or more sets of cellular substrates, each set constituting a group of different assays or assay formats based on the same targeting cell (Claims 84-87 and page 56, Addition of chemicals to cells Subsection).

Foulkes et al teach a process characterized in that the test cells are mammalian and human cells (Claims 76-79 and Page 42, line 5 to page 43, line 11).

Foulkes et al teach a process characterized in that the test cells contain a reporter gene under the control of a regulatory sequence which responds to the change in the concentration of a messenger substance of a signal transmission pathway, of which the target molecule is a component, and that the effect of the test substance on the target molecule is determined in a change in the expression of the reporter gene (Figures 1-4, 6-9 and 11-12 and Page 57, line 5 to page 58, line 8 and Figures 20-24);

Foulkes et al teach a process characterized in that the reporter gene is luciferase (Figures 1-4, 6-9 and 11-12 and Page 57, line 5 to page 58, line 8).

Art Unit: 1634

Foulkes et al teach a process characterized in that the test cells which are dependent on a growth factor for their proliferation are cultivated in the presence of the growth factor and the effect of the substance on the cells is determined by indirectly measuring the apoptosis or the proliferation of the cells (Page 2, line 23 to page 5, line 5 and Page 42, line 5 to page 43, line 11 and Figure 20).

Foulkes et al teach a process wherein the cells are derived from a clone (Claim 91).

Foulkes et al teach a process wherein the target molecule is an intracellular component of a signal transmission pathway (Page 27, growth factor receptor).

Foulkes et al teach a process wherein the target molecule is tyrosine kinase (Page 6, lines 1-6).

Foulkes et al teach a process wherein the process is carried out in high throughput format with several dilutions of the substances (Page 60, line 10 to page 61, line 20).

Foulkes et al do not teach the method wherein the biological target molecules are receptor proteins.

Fodor et al teach the method wherein the biological target molecules are receptor proteins such as HER2 and Ras. (Column 5, lines 44-62).

It would have been *prima facie* obvious to one having ordinary skill in the art at the time the invention was made to combine and substitute the receptors HER2 and Ras of Fodor et al. in the process of Foulkes et al., since Fodor et al. state, "Such genes include, but are not limited to the HER2 proto-oncogene in the case of breast cancer, receptor tyrosine kinases (RTKs)

Art Unit: 1634

associated with the etiology of a number of tumors including carcinomas in the breast, liver, bladder, pancreas, as well as glioblastomas, sarcomas, and squamous carcinomas, and tumor suppressor genes such as the p53 gene and other "marker" genes such as RAS, MSH2, MLH1 and BRCA1 (Column 5, lines 48-55)". An ordinary practitioner would have been motivated to combine and substitute the receptors HER2 and Ras of Fodor et al. in the process of Foulkes et al., in order to improve the process for determining the pharmacological effect of a substance on a cell and also in order to achieve the express advantages, as noted by Fodor et al., of receptors which are used as "marker" associated with the etiology of a number of tumors including carcinomas in the breast, liver, bladder, pancreas, as well as glioblastomas, sarcomas, and squamous carcinomas, and tumor suppressor genes.

5. Claim 57 is rejected under 35 U.S.C. 103 (a) over Foulkes et al. (PCT international Publication number WO 92/13063) (August 6, 1992) in view of Fodor et al. (U.S. Patent 6,309,822 B1) (October 30, 2001) further in view of Chapman et al. (U.S. Patent 6,232,099 B1) (May 15, 2001).

Foulkes et al in view of Fodor et al. teach the process of claims 28-44, 46, 49-51, 53, 55-56, and 58-60 as described above.

Foulkes et al in view of Fodor et al. do not teach the Green fluorescent protein as the reporter gene.

Chapman et al teach the Green fluorescent protein as the reporter gene (Examples 1 and 2 and Figures 1a and 1b).

Art Unit: 1634

It would have been *prima facie* obvious to one having ordinary skill in the art at the time the invention was made to combine and substitute the Green fluorescent protein of Chapman et al. in the process of Foulkes et al. in view of Fodor et al., since Chapman et al. state, "The green fluorescent protein (GFP) from *A. Victoria* is a reporter of gene expression in heterologous systems. GFP has an advantage over other marker proteins in that it can be detected non-invasively, without any requirement for exogenous substrates or co-factors since it fluoresces intrinsically without a requirement for exogenous substrate. In addition, fluorescence of GFP is retained in fusion proteins allowing the subcellular localization of fusion proteins (Column 7, line 66 to column 8, line 7)." An ordinary practitioner would have been motivated to combine and substitute the Green fluorescent protein of Chapman et al. in the process of Foulkes et al. in view of Fodor et al. in order to improve the process for determining the pharmacological effect of a substance on a cell and also in order to achieve the express advantages, as noted by Chapman et al., of a protein which has an advantage over other marker proteins in that it can be detected non-invasively, without any requirement for exogenous substrates or co-factors since it fluoresces intrinsically without a requirement for exogenous substrate and in addition, fluorescence of which is retained in fusion proteins allowing the subcellular localization of fusion proteins.

6. Claim 45 is rejected under 35 U.S.C. 103 (a) over Foulkes et al. (PCT international Publication number WO 92/13063) (August 6, 1992) in view of Fodor et al. (U.S. Patent 6,309,822 B1) (October 30, 2001) further in view of Bilodeau et al. (U.S. Patent 6,235,741 B1) (May 22, 2001).

Art Unit: 1634

Foulkes et al in view of Fodor et al. teach the process of claims 28-42, 44, 46, 49-50, 53, 55-56, and 58-60 as described above.

Foulkes et al in view of Fodor et al. do not teach the receptor KDR.

Bilodeau et al teach the receptor KDR. (Column 2, lines 1-16).

It would have been *prima facie* obvious to one having ordinary skill in the art at the time the invention was made to combine and substitute the receptors KDR of Bilodeau et al. in the process of Foulkes et al. in view of Fodor et al., since Bilodeau et al. state, "Inhibition of KDR or Flt-1 is implicated in pathological neoangiogenesis, and these are useful in the treatment of diseases in which neoangiogenesis is part of the overall pathology, e.g., diabetic retinal vascularization, as well as various forms of cancer (Column 2, lines 12-16))". An ordinary practitioner would have been motivated to combine and substitute the receptors KDR of Bilodeau et al. in the process of Foulkes et al. in view of Fodor et al., in order to improve the process for determining the pharmacological effect of a substance on a cell and also in order to achieve the express advantages, as noted by Bilodeau et al., of KDR receptors which are implicated in pathological neoangiogenesis, and which are useful in the treatment of diseases in which neoangiogenesis is part of the overall pathology, e.g., diabetic retinal vascularization, as well as various forms of cancer.

7. Claim 47 is rejected under 35 U.S.C. 103 (a) over Foulkes et al. (PCT international Publication number WO 92/13063) (August 6, 1992) in view of Fodor et al. (U.S. Patent

Art Unit: 1634

6,309,822 B1) (October 30, 2001) further in view of Nishi et al. (U.S. Patent 6,159,967) (December 12, 2000).

Foulkes et al in view of Fodor et al. teach the process of claims 28-44, 46, 49-51, 53, 55-56, and 58-60 as described above.

Foulkes et al in view of Fodor et al. do not teach the neurokinin receptor.

Nishi et al teach the neurokinin receptor. (Column 1, lines 30-40 and Column 244, line 65 to column 245, line 42).

It would have been *prima facie* obvious to one having ordinary skill in the art at the time the invention was made to combine and substitute the neurokinin receptor of Nishi et al. in the process of Foulkes et al. in view of Fodor et al., since Nishi et al. state, "The novel compounds of the present invention have a superior antagonistic effect on substance P and neurokinin receptors. Moreover since they have low toxicity, they are useful for the prevention and therapy of tachykinin-mediated diseases, examples of which include diseases of the central nervous system including anxiety, depression, psychosis and schizophrenia (Column 244, line 65 to column 245, line 5)". An ordinary practitioner would have been motivated to combine and substitute the neurokinin receptor of Nishi et al. in the process of Foulkes et al. in view of Fodor et al., in order to improve the process for determining the pharmacological effect of a substance on a cell and also in order to achieve the express advantages, as noted by Nishi et al., of neurokinin receptors which are implicated in diseases of the central nervous system including anxiety, depression, psychosis and schizophrenia.

Art Unit: 1634

8. Claim 48 is rejected under 35 U.S.C. 103 (a) over Foulkes et al. (PCT international Publication number WO 92/13063) (August 6, 1992) in view of Fodor et al. (U.S. Patent 6,309,822 B1) (October 30, 2001) further in view of Gerald et al. (U.S. Patent 6,331,401) (December 18, 2001).

Foulkes et al in view of Fodor et al. teach the process of claims 28-44, 46, 49-51, 53, 55-56, and 58-60 as described above.

Foulkes et al in view of Fodor et al. do not teach the serotonin receptor.

Gerald et al teach the serotonin receptor. (Column 21, lines 16-50).

It would have been *prima facie* obvious to one having ordinary skill in the art at the time the invention was made to combine and substitute the serotonin receptor of Gerald et al. in the process of Foulkes et al. in view of Fodor et al., since Gerald et al. state, "Analysis of 5-HT₄ structure and function provides a model for the development of drugs useful for the treatment of gastrointestinal conditions including bowel disease, postoperative ileus, diabetic gastroparesis, emesis, achalasia, hiatal hernia, and esophageal spasm (Column 21, lines 22-27)". An ordinary practitioner would have been motivated to combine and substitute the serotonin receptor of Gerald et al. in the process of Foulkes et al. in view of Fodor et al., in order to improve the process for determining the pharmacological effect of a substance on a cell and also in order to achieve the express advantages, as noted by Gerald et al., of serotonin receptors whose structure and function provides a model for the development of drugs useful for the treatment of

Art Unit: 1634

gastrointestinal conditions including bowel disease, postoperative ileus, diabetic gastroparesis, emesis, achalesia, hiatal hernia, and esophagal spasm.

9. Claim 52 is rejected under 35 U.S.C. 103 (a) over Foulkes et al. (PCT international Publication number WO 92/13063) (August 6, 1992) in view of Fodor et al. (U.S. Patent 6,309,822 B1) (October 30, 2001) further in view of Johnson. (U.S. Patent 6,331,170 B1) (December 25, 2001).

Foulkes et al in view of Fodor et al. teach the process of claims 28-44, 46, 49-51, 53, 55-56, and 58-60 as described above.

Foulkes et al in view of Fodor et al. do not teach the Raf receptor.

Johnson teaches the Raf receptor. (Column 5, lines 11-18).

It would have been *prima facie* obvious to one having ordinary skill in the art at the time the invention was made to combine and substitute the Raf receptor of Johnson in the process of Foulkes et al. in view of Fodor et al., since Johnson states, "In particular, the method comprises regulating the apoptosis of the cell. Such a method is useful for the treatment of a medical disorder. In particular, the method is useful for inhibiting tumorigenesis and autoimmunity (Column 5, lines 14-18)". An ordinary practitioner would have been motivated to combine and substitute the Raf receptor of Johnson in the process of Foulkes et al. in view of Fodor et al., since, in order to improve the process for determining the pharmacological effect of a substance on a cell and also in order to achieve the express advantages, as noted by Johnson, of Raf

Art Unit: 1634

receptors useful for the treatment of a medical disorder and in particular useful for inhibiting tumorigenesis and autoimmunity.

10. Claim 54 is rejected under 35 U.S.C. 103 (a) over Foulkes et al. (PCT international Publication number WO 92/13063) (August 6, 1992) in view of Fodor et al. (U.S. Patent 6,309,822 B1) (October 30, 2001) further in view of O'Hare et al. (U.S. Patent 6,017,735) (January 15, 2000).

Foulkes et al in view of Fodor et al. teach the process of claims 28-44, 46, 49-51, 53, 55-56, and 58-60 as described above.

Foulkes et al in view of Fodor et al. do not teach the bcl-2 receptor.

O'Hare et al. teach the bcl-2 receptor. (Column 7, lines 4-8).

It would have been *prima facie* obvious to one having ordinary skill in the art at the time the invention was made to combine and substitute the bcl-2 receptor of O'Hare et al. in the process of Foulkes et al. in view of Fodor et al., since O'Hare et al. state, "Known proteins of the bcl2 family, such as bcl2 itself, bcl-XL, or bclw, to mask or inhibit apoptosis where this is desired, e.g., in treatment of neurodegeneration (Column 7, lines 5-8)". An ordinary practitioner would have been motivated to combine and substitute the bcl-2 receptor of O'Hare et al. in the process of Foulkes et al. in view of Fodor et al., in order to improve the process for determining the pharmacological effect of a substance on a cell and also in order to achieve the express advantages, as noted by O'Hare et al, of bcl-2 receptors useful to mask or inhibit apoptosis where this is desired, e.g., in treatment of neurodegeneration.

Art Unit: 1634

Response to Amendment

11. In response to amendment, all 112 (second paragraph) rejections and 102 (b) are hereby withdrawn. New 103 (a) rejections based on the same prior art are hereby included.

Response to Arguments

12. Applicant's arguments with respect to withdrawal of 102 (b) rejections of claims 28-42, 44, 46, 49-50, 53, 55-56, and 58-60 have been considered but are moot in view of the withdrawal of 102(b) rejection.

Applicant's arguments filed on August 21, 2002 have been fully considered but they are not persuasive.

In response to applicant's argument to withdraw the 102 (b) rejection by mentioning that the Foulkes reference fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., the target molecules are receptor proteins) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on

Art Unit: 1634

combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

In view of this response to argument, new 103(a) rejections based on the same prior art have been included.

Conclusion

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Arun Chakrabarti, Ph.D., whose telephone number is (703) 306-5818. The examiner can normally be reached on 7:00 AM-4:30 PM from Monday to Friday.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Jones, can be reached on (703) 308-1152. The fax phone number for this Group is (703) 305-7401.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group analyst Chantae Dessau whose telephone number is (703) 605-1237.

Arun Chakrabarti,

Patent Examiner,

September 13, 2002


W. Gary Jones
Supervisory Patent Examiner
Technology Center 1600